



## **TEST REPORT**

Report No.: LCS200901108AR

Date: 2020.09.26

Page 1 of 12

**Applicant** 

: SRNE Solar Co.,Ltd

Address

4-5F,13A Wutong Island ,Neihuan Rd, Xixiang, Bao'an, Shenzhen, Guangdong,

China

Report on the submitted samples said to be:

Sample Name

: Solar Charge Controller

Trade Mark

: N/A

Style No.

: MF4860N15

Testing Period

: September 09, 2020 ~ September 26, 2020

Results

: Please refer to next page(s).

TEST REQUEST	CONCLUSION
According to the customer's request, based on the performed tests on submitted sample, the result of Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, Dibuyl Phthalate(DBP), Benzylbutyl Phthalate(BBP), Bis(2-ethylhexyl) Phthalate(DEHP), Diispbutyl phthalate(DIBP) content comply with the limit requirement as set of RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.	Pass

Signed for and on behalf of LCS





## **TEST REPORT**

Report No.: LCS200901108AR Date: 2020.09.26 Page 2 of 12

#### Results:

#### A.EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Test method: With reference to IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

Seq. No.	Tested Part(s)	>)		Res	sults	(		Date of sample
		Cd	Pb	Hg	Cr <sup>▼</sup>	Br <sup>▼</sup>		submission/resu
		Cu		119		PBBs	PBDEs	bmission
1	Copper color metal coil(L2)	BL	BL	BL	BL	1	1	2020-09-09
2	Black ceramic block(L2)	BL	BL	BL	BL	BL	BL	2020-09-09
3	Black soft plastic interface(CON9)	BL	BL	BL	BL	BL	BL	2020-09-09
4	Silver metal pins(CON9)	BL	BL	BL	BL	1	1	2020-09-09
5	Silver metal block	BL	BL	BL	BL	100	1	2020-09-09
6	Green soft plastic interface(CON6)	BL	BL	BL	BL	BL	BL	2020-09-09
7	Silver metal screws(CON6)	BL	BL	BL	BL	1	1	2020-09-09
8	Silver metal case(CON1)	BL	BL	BL	BL	1	1 6	2020-09-09
9	Black soft plastic fixture(CON1)	BL	BL	BL	BL	BL	BL	2020-09-09
10	Silver metal pins(CON1)	BL	BL	BL	BL	1	1	2020-09-09
11	Brown soft plastic shell(C70)	BL	BL	BL	BL	BL	BL	2020-09-09
12	Silver metal case(C70)	BL	BL	BL	BL	1	0 1	2020-09-09
13	Black soft plastic plug(C70)	BL	BL	BL	BL	BL	BL	2020-09-09
14	Brown wet paper(C70)	BL	BL	BL	BL	BL	BL	2020-09-09
15	Bright silver metal film(C70)	BL (	BL	BL	BL	1	1	2020-09-09
16	Silver gray metal film(C70)	BL	BL	BL	BL	1	1	2020-09-09
17	Silver metal pins(C70)	BL	BL	BL	BL	1	/	2020-09-09
18	Yellow adhesive tape(TT1)	BL	BL	BL	BL	BL	BL	2020-09-09
19	Black plastic skeleton(TT1)	BL	BL	BL	BL	BL	BL	2020-09-09
20	Green PCB board	BL	BL	BL	BL	BL	BL	2020-09-09

\*\*\*\*\*\*\*\*\*\*\*\*\*





# **TEST REPORT**

Report No.: LCS200901108AR Date: 2020.09.26 Page 3 of 12

			D. ( )					
Seq. No.	Tested Part(s)	_		Res		Br <sup>▼</sup>		Date of sample submission/resu
		Cd	Pb	Hg	Cr <sup>▼</sup>	PBBs	PBDEs	bmission
21	Black transistor (Q24)	BL	BL	BL	BL	BL	BL	2020-09-21
22	Black diode (D18)	BL	BL	BL	BL	BL	BL	2020-09-21
23	Black capacitor (U12)	BL	BL	BL	BL	BL	BL	2020-09-21
24	Red soft plastic lamp holder (DS1)	BL	BL	BL	BL	BL	BL	2020-09-21
25	Black chip IC (U2)	BL (	BL	BL	BL	BL	BL	2020-09-21
26	Transparent glass (LCD1)	BL	BL	BL	BL	BL	BL	2020-09-21
27	Black soft plastic button (S1)	BL	BL	BL	BL	BL	BL	2020-09-21
28	Black soft plastic interface (P2)	BL	BL	BL	BL	BL	BL	2020-09-21
29	Brown chip capacitor (C3)	BL	BL	BL	BL	BL	BL	2020-09-21
30	White soft plastic interface (P1)	BL	BL	BL	BL	BL	BL	2020-09-21







## TEST REPORT

Report No.: LCS200901108AR Date: 2020.09.26 Page 4 of 12

#### Note:

(1) Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013.

Element	Unit	Non-metal	Metal	Composite Material
C4	ma m // cm	BL≤70-3σ <x< td=""><td>BL≤70-3σ<x< td=""><td>BL≤50-3σ<x< td=""></x<></td></x<></td></x<>	BL≤70-3σ <x< td=""><td>BL≤50-3σ<x< td=""></x<></td></x<>	BL≤50-3σ <x< td=""></x<>
Cd	mg/kg	<130+3σ≤OL	<130+3σ≤OL	<150+3σ≤OL
Dla	mg/kg	BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>	BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>
PD		Pb mg/kg	<1300+3σ≤OL	<1300+3σ≤OL
l la	200 m/l cm	BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>	BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>
Hg	mg/kg	<1300+3σ≤OL	<1300+3σ≤OL	<1500+3σ≤OL
Cr	mg/kg	BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>	BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>
Br	mg/kg	BL≤300-3σ <x< td=""><td>- 6</td><td>BL≤250-3σ<x< td=""></x<></td></x<>	- 6	BL≤250-3σ <x< td=""></x<>

#### Note:

BL = Below Limit
OL = Over Limit
X = Inconclusive

- (2) The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- (3) The maximum permissible limit is quoted from the document 2015/863/EC amending RoHS directive 2011/65/EU:
- (4) ▼=For restricted substances PBBs and PBDEs, the results show the total Br content; The restricted substance was Cr(VI), and the results showed the total Cr content

\*\*\*\*\*\*\*\*\*\*\*\*\*







Report No.: LCS200901108AR Date: 2020.09.26 Page 5 of 12

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)				
Cadmium (Cd)	100				
Lead (Pb)	1000				
Mercury (Hg)	1000				
Hexavalent Chromium (Cr(VI))	1000				
Polybrominated biphenyls (PBBs)	1000				
Polybrominated diphenylethers (PBDEs)	1000				
Dibuyl Phthalate(DBP)	1000				
Benzylbutyl Phthalate(BBP)	1000				
Di-(2-ethylhexyl) Phthalate(DEHP)	1000				
Diispbutyl phthalate(DIBP)	1000				

#### Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.





## TEST REPORT

Report No.: LCS200901108AR Date: 2020.09.26 Page 6 of 12

B. EU RoHS Directive 2011/65/EU and its amendment Directives 2015/863/EU on Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs, PBDEs, DBP, BBP, DEHP, DIBP content.

#### Test method:

Lead(Pb) & Cadmium(Cd) Content:

With reference to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES)

#### Mercury(Hg) Content:

With reference to IEC 62321-4:2013+AMD1:2017 CSV, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES)

#### Hexavalent Chromium(Cr(VI)) Content:

With reference to IEC 62321-7-1:2015 or IEC 62321-7-2:2017, by alkaline digestion and analysis was performed by UV-visible spectrophotometer (UV-Vis)

#### PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

#### BBP DBP DEHP & DIBP Content:

With reference to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)



## TEST REPORT

Report No.: LCS200901108AR Date: 2020.09.26 Page 7 of 12

#### Note:

- MDL = Method Detection Limit
- /= Not apply
- LOQ = Limit of Quantification, The LOQ of Hexavalent chromium is 0.10 μg/cm<sup>2</sup>
- ▼ = a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13ug/cm<sup>2</sup>. The sample coating is considered to contain Cr(VI)
  - b. The sample is negative for Cr(VI) if Cr(VI) is N.D.(concentration less than 0.10ug/cm<sup>2</sup>). The sample coating is considered a non- Cr(VI) based coating
  - c. The result between  $0.10\mu g/cm^2$  and  $0.13\mu g/cm^2$  is considered to be inconclusive, unavoidable coating variations may influence the determination
- Information on storage conditions and production date of the tested samples is unavailable and thus Cr(VI) results represent status of the sample at the time of testing
- mg/kg = ppm=parts per million
- N.D.=Not Detected(<MDL or LOQ)</li>
- #1 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in glass of cathode ray tubes, electronic components and fluorescent tubes.
- #2 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in electronic ceramic parts (e.g. piezoelectronic devices).
- #3 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted as an alloying element in Copper containing up to 4% (40000ppm) by weight.
- #4 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead).
- #5 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its amendments, Lead is exempted as an alloying element in Aluminum containing up to 0.4% (4000ppm) by weight.
- #6 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its amendments, Cadmium and its compounds in electrical contact is exempted.
- #7 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its Amendments. Lead is exempted in steel for machining purposes and in galvanised steel containing up to 0.35% (3500ppm) by weight.
- Flow chart appendix is included.
- Photo appendix is included.
- As specified by client, only test the designated sample.

\*



# **TEST REPORT**

Report No.: LCS200901108AR Date: 2020.09.26 Page 8 of 12

#### 1) The test results of DBP, BBP, DEHP & DIBP

Item	Unit	MDL	Results	1 : :4
			2+3+6+9+11+13	Limit
Dibuyl Phthalate(DBP)	mg/kg	600	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	600	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP)	mg/kg	600	N.D.	1000
Diispbutyl phthalate(DIBP)	mg/kg	600	N.D.	1000

Item	Unit	MDL	Results	
			14+18+19+20	Limit
Dibuyl Phthalate(DBP)	mg/kg	600	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	600	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP)	mg/kg	600	N.D.	1000
Diispbutyl phthalate(DIBP)	mg/kg	600	N.D.	1000

\*\*\*\*\*\*\*\*\*\*\*\*\*





## **TEST REPORT**

Report No.: LCS200901108AR Date: 2020.09.26 Page 9 of 12

Item	Unit	MDI	Results	Limit	
item	Offit   IVIL	MDL	21+22+23+25+26	Limit	
Dibuyl Phthalate(DBP)	mg/kg	600	N.D.	1000	
Benzylbutyl Phthalate(BBP)	mg/kg	600	N.D.	1000	
Di-(2-ethylhexyl) Phthalate(DEHP)	mg/kg	600	N.D.	1000	
Diispbutyl phthalate(DIBP)	mg/kg	600	N.D.	1000	

lá a ma	1144	MDI	Results	Limit
Item	Unit	MDL	27+28+29+30+24	
Dibuyl Phthalate(DBP)	mg/kg	600	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	600	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP)	mg/kg	600	N.D.	1000
Diispbutyl phthalate(DIBP)	mg/kg	600	N.D.	1000

\*\*\*\*\*\*\*\*\*\*\*\*

#### Remark:

- mg/kg = ppm
- N.D. = Not detected
- MDL=Method detected limited
- Flow chart appendix is included
- Photo appendix is included.






### **TEST REPORT**

Report No.: LCS200901108AR Date: 2020.09.26 Page 10 of 12

### **Appendix**






代 码: 871117

# **TEST REPORT**

Report No.: LCS200901108AR Date: 2020.09.26 Page 11 of 12

The photo of the sample








## **TEST REPORT**


Report No.: LCS200901108AR Date: 2020.09.26 Page 12 of 12











## Blank

\*\*\*\*\*\*\*\*\*\*\* End of Report \*\*\*\*\*\*\*\*\*\*

#### Statement:

- 1. The test report is considered invalidated without approval signature, special seal on the perforation.
- 2. The result(s) shown in this report refer only to the sample(s) tested.
- 3. Without written approval of LCS, this report can't be reproduced except in full.
- 4. The sample(s) and sample information was/were provided by the client who should be responsible for the authenticity which LCS hasn't verified.
- 5. In case of any discrepancy between the English version and Chinese version of the testing reports(if generated), the Chinese version shall prevail.